

# **GALA-630XW**

#### 6.5" 2-Way Coaxial Ceiling Speaker

GALA X Series offers powerful and accurate coaxial loudspeakers with woofer diameters ranging from 5,25" to 8", and powers from 20W to 40W RMS. They can be used with standard 70/100V professional amplifiers, and provide transparent and brilliant sound. They are therefore suitable for any application of music distribution at higher volume levels. The housing of GALA X speakers is made of high quality ABS. They also feature 0.5" Mylar-dome tweeters, polypropylene enforced woofers, and aluminum removable grille, which make these speakers suitable for humid environments. Installation is very easy, thanks to the quick mounting system with 4 screws. These screws are hidden behind the grill, and offer an elegant and minimalist design. The built-in line transformers allow the use with 70/100V lines, and offer two power taps to better adapt to different speaker arrangement and amplifier powers. They come in white color, but can be painted in any color.











### **PRODUCT DETAILS**

## **Key features**

2-Way Coaxial Loudspeaker	
6.5" (165 mm) Woofer	
30W RMS Power	
High Excursion Polypropylene Woofer	
Mylar-dome Precision Tweeter	
Built-in 70/100V Line Transformer	
Quick Mounting System	
Paintable Grille and Frame	



### **Specifications**

70		
ine Voltage 70\	V/100V	
ine Transformer Bui	ilt-in, 2 power taps	
<b>00V Power</b> 15\	W/30W	
<b>0V Power</b> 7.5	5W/15W	
requency Response (-10dB) 678	Hz-18.5kHz	
ensitivity (1w/1m) 886	dB	
<b>loofer</b> 6.5	5" (165mm), PP cone	
weeter 0.5	5" (13mm), Mylar dome	
<b>ousing</b> PP,	, paintable	
P Rate (speaker installed) IP5	IP54	
<b>lounting</b> Qui	rick mounting system with 4 screws	
<b>rille</b> Per	rforated steel with acoustic transparent foam inside,	
pai	intable	
<b>olor</b> Wh	nite	
utout Size Ø 2	202 mm	
roduct Size (WxDxH) Ø 2	233 x 95 mm	
peaker Weight 1.2	26 kg	
acking Size (WxDxH) 238	8 x 100 x 238 mm	
acking Weight 1,4	4 kg	