

GALA-630XW

6.5" 2-Way Coaxial Ceiling Speaker

GALA X Series offers powerful and accurate coaxial loudspeakers with woofer diameters ranging from 5,25" to 8", and powers from 20W to 40W RMS. They can be used with standard 70/100V professional amplifiers, and provide transparent and brilliant sound. They are therefore suitable for any application of music distribution at higher volume levels. The housing of GALA X speakers is made of high quality ABS. They also feature 0.5" Mylar-dome tweeters, polypropylene enforced woofers, and aluminum removable grille, which make these speakers suitable for humid environments. Installation is very easy, thanks to the quick mounting system with 4 screws. These screws are hidden behind the grill, and offer an elegant and minimalist design. The built-in line transformers allow the use with 70/100V lines, and offer two power taps to better adapt to different speaker arrangement and amplifier powers. They come in white color, but can be painted in any color.











PRODUCT DETAILS

Key features

2-Way Coaxial Loudspeaker	
6.5" (165 mm) Woofer	
30W RMS Power	
High Excursion Polypropylene Woofer	
Mylar-dome Precision Tweeter	
Built-in 70/100V Line Transformer	
Quick Mounting System	
Paintable Grille and Frame	



Specifications

70		
ine Voltage 70\	V/100V	
ine Transformer Bui	ilt-in, 2 power taps	
00V Power 15\	W/30W	
0V Power 7.5	5W/15W	
requency Response (-10dB) 678	Hz-18.5kHz	
ensitivity (1w/1m) 886	dB	
loofer 6.5	5" (165mm), PP cone	
weeter 0.5	5" (13mm), Mylar dome	
ousing PP,	, paintable	
P Rate (speaker installed) IP5	IP54	
lounting Qui	rick mounting system with 4 screws	
rille Per	rforated steel with acoustic transparent foam inside,	
pai	intable	
olor Wh	nite	
utout Size Ø 2	202 mm	
roduct Size (WxDxH) Ø 2	233 x 95 mm	
peaker Weight 1.2	26 kg	
acking Size (WxDxH) 238	8 x 100 x 238 mm	
acking Weight 1,4	4 kg	